

A BEGINNER'S GUIDE TO

**DRUPAL SITE
BUILDING**

AKA...

**WHAT I WISH
SOMEONE HAD
TOLD ME *AT THE
BEGINNING***

**WHAT DO I
MEAN BY
BEGINNING?**

**MOST SITE
BUILDERS DO NOT
SET OUT TO BE
SITE BUILDERS***


(*I made this up, but it seems true)

**WHY AM I
DOING THIS?**

**DRUPAL CAN BE
OVERWHELMING...**

**BUT DOESN'T HAVE
TO BE DIFFICULT**

Learning curve for popular CMS



THINK ABOUT DRUPAL AS LEGOS*

(*This is a tired analogy, but it works)



MY DRUPAL MOTTO

**THERE IS
ALWAYS MORE
TO LEARN**

(you must be okay with this)

ALSO...

**YOU DON'T
HAVE TO
CONTINUALLY
START OVER**

(there will *always* be a better way to do something)

SITE BUILDING **CAN BE MANY THINGS**

**THERE ARE
THOUSANDS
OF MODULES**

**LET'S BREAK IT
DOWN INTO
LOGICAL
CATEGORIES**

ADMIN INTERFACE
CONTENT CREATION
CONTENT DISPLAY
NAVIGATION
PEOPLE
THEME*

BUT, WAIT

**BEFORE
YOU GET
STARTED**

DECIDE ON
TEXT EDITING
AND MEDIA
HANDLING

**KNOW WHO WILL
BE CREATING
CONTENT
ON YOUR SITE**

**KNOW HOW
YOUR SITE
WILL HANDLE
FILES AND
IMAGES**

DECIDE ON A THEMING METHOD

START WITH A QUALITY BASE THEME

(you'll thank me someday)

禪 zen
extend and design



ADMIN INTERFACE

CONTENT CREATION

CONTENT DISPLAY

NAVIGATION

PEOPLE

THEME*

ADMIN INTERFACE

TIPS

TURN OFF OVERLAY

USE SHORTCUTS

MODULES

MODULE FILTER

Content types | miller2676 x

miller2676.com/admin/structure/types

Dashboard Content **Structure** Appearance People Modules Configuration Reports Help Hello admin Log out

Add content Find content Edit shortcuts

Home » Administration » Structure

Content types **Add to Default shortcuts**

+ Add content type

NAME	OPERATIONS
------	------------

Content types | miller2676 x

miller2676.com/admin/structure/types

Dashboard Content **Structure** Appearance People Modules Configuration Reports Help Hello admin Log out

Add content Find content **Content types** Edit shortcuts

Home » Administration » Structure

Content types

✓ Added a shortcut for *Content types*.

+ Add content type

Modules | miller2676

miller2676.com/admin/modules

Dashboard Content Structure Appearance People **Modules** Configuration Reports Help Hello admin Log out

Add content Find content Edit shortcuts

Home » Administration

Modules o

LIST UPDATE UNINSTALL

Download additional [contributed modules](#) to extend Drupal's functionality.

Regularly review and install [available updates](#) to maintain a secure and current site. Always run the [update script](#) each time a module is updated.

[+ Install new module](#)

▼ CORE

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input type="checkbox"/>	Aggregator	7.22	Aggregates syndicated content (RSS, RDF, and Atom feeds).	
<input checked="" type="checkbox"/>	Block	7.22	Controls the visual building blocks a page is constructed with. Blocks are boxes of content rendered into an area, or region, of a web page. Required by: Dashboard (enabled)	Help Permissions Configure
<input type="checkbox"/>	Blog	7.22	Enables multi-user blogs.	
<input type="checkbox"/>	Book	7.22	Allows users to create and organize related content in an outline.	
<input checked="" type="checkbox"/>	Color	7.22	Allows administrators to change the color scheme of compatible themes.	Help
<input checked="" type="checkbox"/>	Comment	7.22	Allows users to comment on and discuss published content. Requires: Text (enabled), Field (enabled), Field SQL storage (enabled) Required by: Forum (disabled), Tracker (disabled)	Help Permissions Configure
<input type="checkbox"/>	Contact	7.22	Enables the use of both personal and site-wide contact forms.	
<input type="checkbox"/>	Content translation	7.22	Allows content to be translated into different languages. Requires: Locale (disabled)	
<input checked="" type="checkbox"/>	Contextual links	7.22	Provides contextual links to perform actions related to elements on a page.	Help Permissions
<input checked="" type="checkbox"/>	Dashboard	7.22	Provides a dashboard page in the administrative interface for organizing administrative tasks and tracking information within your site. Requires: Block (enabled)	Help Permissions Configure
<input checked="" type="checkbox"/>	Database logging	7.22	Logs and records system events to the database.	Help
<input checked="" type="checkbox"/>	Field	7.22	Field API to add fields to entities like nodes and users. Requires: Field SQL storage (enabled), Field (enabled) Required by: Drupal, Field SQL storage (enabled), Field (enabled), Text (enabled), Comment (enabled), Field UI (enabled), File (enabled), Options (enabled), Taxonomy	Help

Modules | miller2676

miller2676.com/admin/modules#theme_tools

Dashboard Content Structure Appearance People **Modules** Configuration Reports Help Hello admin Log out

Add content Find content Content types Edit shortcuts

Home » Administration

Modules LIST UPDATE UNINSTALL

Download additional [contributed modules](#) to extend Drupal's functionality.

Regularly review and install [available updates](#) to maintain a secure and current site. Always run the [update script](#) each time a module is updated.

[+ Install new module](#)

- All
- Chaos tool suite
- Context
- Core
- Other
- Theme Tools**
4 of 5
- Views

Save configuration

Filter list

Enabled Disabled Required Unavailable

ENABLED	NAME	VERSION	DESCRIPTION	OPERATIONS
<input checked="" type="checkbox"/>	Delta API	7.x-3.0-beta11	The Delta module is an advanced manipulation of the Theme Settings API to allow for customization/configuration of theme settings based on node types, context, or groups of paths. Requires: Chaos tools (enabled) Required by: Delta Color (disabled), Delta UI (enabled)	
<input checked="" type="checkbox"/>	Delta Blocks	7.x-3.0-beta11	Exposes a number of core Drupal elements as blocks.	Help Permissions
<input type="checkbox"/>	Delta Color	7.x-3.0-beta11	Makes the color module available for Delta templates. Requires: Delta API (enabled), Chaos tools (enabled), Color (enabled)	
<input checked="" type="checkbox"/>	Delta UI	7.x-3.0-beta11	The Delta UI provides a user interface to build and edit the contextual theme settings provided by the Delta module. Requires: Delta API (enabled), Chaos tools (enabled)	Permissions
<input checked="" type="checkbox"/>	Omega Tools	7.x-3.0-rc4	Provides additional functionality for the Omega Theme . Requires: Chaos tools (enabled)	

ADMIN INTERFACE

CONTENT CREATION

CONTENT DISPLAY

NAVIGATION

PEOPLE

THEME*

CONTENT CREATION

TIPS

**CREATE CUSTOM
CONTENT TYPES**

USE TAXONOMY

**USE HIDDEN FIELDS
TO ORGANIZE
CONTENT**


MODULES

WYSIWYG

MEDIA (2.X BRANCH)

**VARIOUS FIELD-BASED
MODULES**

MAKE YOUR OWN



The screenshot shows the Drupal 8 administration interface. The browser address bar displays `miller2676.com/admin/structure/types`. The top navigation bar includes links for Dashboard, Content, Structure (active), Appearance, People, Modules, Configuration, Reports, and Help. The user is logged in as 'admin'. Below the navigation bar, there are links for 'Add content' and 'Find content'. The breadcrumb trail is 'Home » Administration » Structure'. The main heading is 'Content types'. A blue arrow points from the text 'MAKE YOUR OWN' to the '+ Add content type' link. Below this link is a table listing existing content types.

[+ Add content type](#)

NAME	OPERATIONS
Article (Machine name: <code>article</code>) Use <i>articles</i> for time-sensitive content like news, press releases or blog posts.	edit manage fields manage display delete
Basic page (Machine name: <code>page</code>) Use <i>basic pages</i> for your static content, such as an 'About us' page.	edit manage fields manage display delete

Project | miller2676.com

miller2676.com/admin/structure/types/manage/project/fields

Content Structure Appearance People Modules Configuration Reports Help Hello admin Log out

Add content Find content Content types Performance Edit shortcuts

Home » Administration » Structure » Content types » Project

Project EDIT MANAGE FIELDS MANAGE DISPLAY COMMENT FIELDS COMMENT DISPLAY

✓ The content type *Project* has been added.

Show row weights

LABEL	MACHINE NAME	FIELD TYPE	WIDGET	OPERATIONS
✚ Title	title	Node module element		
✚ Body	body	Long text and summary	Text area with a summary	edit delete
✚ Add new field	field_images [Edit]			
✚ Add existing field				

Save

Label
 Label
 Label
 Label

- Select a field type -
 Boolean
 Decimal
 File
 Float
 Image
 Integer
 List (float)
 List (integer)
 List (text)
 Long text
 Long text and summary
 Term reference
 Text

- Select a widget -
 Form element to edit the data.

- Select a widget -
 Form element to edit the data.

Download & Extend

[Download & Extend Home](#)[Drupal Core](#)[Distributions](#)[Modules](#)[Themes](#)

439 Modules match your search

Modules categories:



Filter by compatibility:

Status:

Search Modules:

Sort by:

Extend and customize Drupal functionality with contributed modules. If a module doesn't quite do what you want it to do, if you find a bug or have a suggestion, then [join forces](#) and help the module maintainer. Or, share your own by [starting a new module](#).

Maintenance

This module is sponsored by [Wunder](#)

Downloads

Recommended releases

Version	Downloads
7.x-1.1	tar.gz (42.06)

Development releases

Version	Downloads	Date	Links
7.x-1.x-dev	tar.gz (45.4 KB) zip (51.98 KB)	2013-May-16	Notes

Project Information

Maintenance status: [Actively maintained](#)

Development status: [Under active development](#)

Module categories: [Content](#) , [Content Construction Kit \(CCK\)](#) , [Fields](#) , [Utility](#)

Reported installs: **94926** sites currently report using this module. [View usage statistics.](#)

Downloads: 543,263

Last modified: May 17, 2013

[View all releases](#) 

Field group

[View](#)


[Version control](#)

[Revisions](#)

Posted by [Stalski](#) on *October 21, 2010 at 10:14am*

Fieldgroup will, as the name implies, group fields together. All fieldable entities will have the possibility to add groups to wrap their fields together. Fieldgroup comes with default HTML wrappers like vertical tabs, horizontal tabs, accordions, fieldsets or div wrappers.

WYSIWYG



The image shows a screenshot of a WYSIWYG (What You See Is What You Get) editor interface. The main area is a large, empty text box. Above it is a toolbar with various icons for text formatting, alignment, and insertion. The toolbar includes buttons for bold (B), italic (I), underline (U), bulleted list, numbered list, link, unlink, paragraph, styles, undo, redo, source code, link, unlink, insert table, insert table row, insert table column, insert table cell, insert table row below, insert table column right, insert table cell right, insert table row above, insert table column left, insert table cell left, insert table row above, insert table column left, insert table cell left, insert table row below, insert table column right, insert table cell right, insert table row above, insert table column left, insert table cell left, insert table row below, insert table column right, insert table cell right. Below the toolbar, there is a path indicator showing "Path: p". Below the path indicator, there is a section titled "Disable rich-text" with a "Text format" dropdown menu set to "Filtered HTML". To the right of the dropdown menu is a link "More information about text formats". Below this section, there is a list of allowed HTML tags and a list of rules for the editor.

Body (Edit summary)

B *I* U Paragraph Styles

Path: p

Disable rich-text

Text format [More information about text formats](#)

- Allowed HTML tags: `<p>` `<a>` `` `` `<cite>` `<blockquote>` `<code>` `` `` `` `<dl>` `<dt>` `<dd>` `<h2>` `<h3>` `<h4>` `<h5>` `<h6>` `<div id="accordion">` `<div>` `` `<!-->` `
` `
` `<table>` `<th>` `<tr>` `<td>`
- Lines and paragraphs break automatically.
- Empty paragraph killer - multiple returns will not break the site's style.
- Non-latin text (e.g., å, ö, 漢) will be converted to US-ASCII equivalents (a, o, ?).

Configuration

Hide descriptions

PEOPLE

- [Account settings](#)
Configure default behavior of users, including registration requirements, e-mails, fields, and user pictures.
- [IP address blocking](#)
Manage blocked IP addresses.

CONTENT AUTHORIZING

- [Text formats](#)
Configure how content input by users is filtered, including allowed HTML tags. Also allows enabling of module-provided filters.
- [Wysiwyg profiles](#)
Configure client-side editors.

MEDIA

- [File system](#)
Tell Drupal where to store uploaded files and how they are accessed.
- [Image styles](#)

SYSTEM

- [Site information](#)
Change site name, e-mail address, slogan, page, error pages.
- [Actions](#)
Manage the actions defined for your site.
- [Cron](#)
Manage automatic site maintenance tasks.

USER INTERFACE


- [Delta blocks](#)
Settings for the Delta blocks module.
- [Menu block](#)
Configure menu block.
- [Module filter](#)
Configure settings for Module Filter.
- [Shortcuts](#)
Add and modify shortcut sets.

▶ BASIC SETUP

▼ BUTTONS AND PLUGINS

<input checked="" type="checkbox"/> Bold	<input checked="" type="checkbox"/> Italic	<input checked="" type="checkbox"/> Underline
<input type="checkbox"/> Strike-through	<input type="checkbox"/> Align left	<input type="checkbox"/> Align center
<input type="checkbox"/> Align right	<input type="checkbox"/> Justify	<input checked="" type="checkbox"/> Bullet list
<input checked="" type="checkbox"/> Numbered list	<input type="checkbox"/> Outdent	<input type="checkbox"/> Indent
<input type="checkbox"/> Undo	<input type="checkbox"/> Redo	<input checked="" type="checkbox"/> Link
<input checked="" type="checkbox"/> Unlink	<input checked="" type="checkbox"/> Anchor	<input type="checkbox"/> Image
<input type="checkbox"/> Clean-up	<input checked="" type="checkbox"/> Block format	<input checked="" type="checkbox"/> Styles
<input type="checkbox"/> Font	<input type="checkbox"/> Font size	<input type="checkbox"/> Forecolor
<input type="checkbox"/> Backcolor	<input checked="" type="checkbox"/> Superscript	<input checked="" type="checkbox"/> Subscript
<input type="checkbox"/> Blockquote	<input checked="" type="checkbox"/> Source code	<input type="checkbox"/> Horizontal rule
<input type="checkbox"/> Cut	<input type="checkbox"/> Copy	<input type="checkbox"/> Paste
<input type="checkbox"/> Visual aid	<input checked="" type="checkbox"/> Remove format	<input checked="" type="checkbox"/> Character map
<input type="checkbox"/> Help	<input type="checkbox"/> Advanced horizontal rule http://www.tinymce.com/wiki.php/Plugin:advhr	<input type="checkbox"/> Advanced image http://www.tinymce.com/wiki.php/Plugin:advimage
<input type="checkbox"/> Advanced link http://www.tinymce.com/wiki.php/Plugin:advlink	<input type="checkbox"/> Auto save http://www.tinymce.com/wiki.php/Plugin:autosave	<input type="checkbox"/> Context menu http://www.tinymce.com/wiki.php/Plugin:contextmenu
<input type="checkbox"/> Left-to-right http://www.tinymce.com/wiki.php/Plugin:directionality	<input type="checkbox"/> Right-to-left http://www.tinymce.com/wiki.php/Plugin:directionality	<input type="checkbox"/> Emotions http://www.tinymce.com/wiki.php/Plugin:emotions
<input type="checkbox"/> Fullscreen http://www.tinymce.com/wiki.php/Plugin:fullscreen	<input type="checkbox"/> Inline popups http://www.tinymce.com/wiki.php/Plugin:inlinepopups	<input type="checkbox"/> Insert date http://www.tinymce.com/wiki.php/Plugin:insertdatetime
<input type="checkbox"/> Insert time http://www.tinymce.com/wiki.php/Plugin:insertdatetime	<input type="checkbox"/> Insert layer http://www.tinymce.com/wiki.php/Plugin:layer	<input type="checkbox"/> Move forward http://www.tinymce.com/wiki.php/Plugin:layer

Body (Edit summary)



The screenshot shows a rich text editor toolbar. On the left, there are icons for Bold (B), Italic (I), Underline (U), Bulleted List, Numbered List, Link, Unlink, and Anchor. In the center, there is a 'Paragraph' dropdown menu. To its right is a 'Styles' dropdown menu, which is open and shows 'Impact Text' as the selected option. An orange arrow points to the 'Impact Text' option. Further right, there are icons for Undo, Redo, HTML, and other editing tools.


CSS classes

Impact Text = impact-text

Optionally define CSS classes for the "Font style" dropdown list. Enter one class on each line in the format: [title]=[class]. Example: If left blank, CSS classes are automatically imported from all loaded styles.

```
22  
23 .impact-text {  
24   color: @red;  
25   font-weight: 700;  
26   font-size: 16px;  
27 }
```

TAXONOMY = AWESOME



The image shows a screenshot of the Drupal administration interface for the Taxonomy module. The top navigation bar includes links for Content, Structure (which is active), Appearance, People, Modules, Configuration, Reports, and Help. Below this, there are sub-links for Add content, Find content, Content types, and Performance. The breadcrumb trail reads: Home » Administration » Structure » Taxonomy. The main heading is "Taxonomy" with a plus icon. The form contains a "Name" field with a red asterisk, containing the text "Project Type". To the right of the field, it says "Machine name: project_type [Edit]". Below the name field is a "Description" field, which is currently empty. At the bottom of the form is a "Save" button.

Home » Administration » Structure » Taxonomy

Project Type ⊕

[LIST](#) [EDIT](#) [MANAGE FIELDS](#) [MANAGE DISPLAY](#)

You can reorganize the terms in *Project Type* using their drag-and-drop handles, and group terms under a parent term by sliding them under and to the right of the parent.

[+ Add term](#)

[Show row weights](#)

NAME	OPERATIONS
⊕ Web Development	edit
⊕ Graphic Design	edit
⊕ Photography	edit
⊕ Photojournalism	edit
⊕ Other	edit

[Save](#) [Reset to alphabetical](#)

Project

EDIT

MANAGE FIELDS

MANAGE DISPLAY

COMMENT FIELDS

COMMENT DISPLAY

Show row weights

LABEL	MACHINE NAME	WIDGET	OPERATIONS
Title	title		
Body	body	Text area with a summary	edit delete
Images	field_images	Image	edit delete
Add new field			
<input type="text" value="Project Type"/>	field_project_type [Edit]	Autocomplete term widget (tagging)	
Label		Form element to edit the data.	
Add existing field			
<input type="text"/>	- Select an existing field -	- Select a widget -	
Label	Field to share	Form element to edit the data.	

- Select a field type -
- Boolean
- Decimal
- File
- Float
- Image
- Integer
- List (float)
- List (integer)
- List (text)
- Long text
- Long text and summary
- Term reference
- Text



Save

Home » Administration » Structure » Content types » Project

Project **EDIT** **MANAGE FIELDS** **MANAGE DISPLAY** COMMENT FIELDS COMMENT DISPLAY

Default Teaser

Content items can be displayed using different view modes: Teaser, Full content, Print, RSS, etc. *Teaser* is a short format that is typically used in lists of multiple content items. *Full content* is typically used when the content is displayed on its own page.

Here, you can define which fields are shown and hidden when *Project* content is displayed in each view mode, and define how the fields are displayed in each view mode.

[Show row weights](#)

FIELD	LABEL	FORMAT
+ Body	<Hidden>	Default
+ Images	Above	Image Original image
+ Project Type	Above	Plain text

Hidden
No field is hidden.

CUSTOM DISPLAY SETTINGS

Save

Default Teaser

Content items can be displayed using different view modes: Teaser, Full content, Print, RSS, etc. Teaser is a short format that is typically used in lists of multiple content items. Full content is typically used when the content is displayed on its own page.

Here, you can define which fields are shown and hidden when Project content is displayed in each view mode, and define how the fields are displayed in each view mode.

Show row weights

FIELD	LABEL	FORMAT
+ Body	<Hidden>	Default
+ Images	Above	Image Original image
Hidden		
+ Project Type	Above	<Hidden>

CUSTOM DISPLAY SETTINGS

Save

ADMIN INTERFACE
CONTENT CREATION
CONTENT DISPLAY
NAVIGATION
PEOPLE
THEME*

CONTENT DISPLAY

TIPS

EXPLORE ADVANCED
DISPLAY MODULES

EXPLORE THEME
TEMPLATE FILES

USE VIEWS

MODULES

VIEWS

VIEWS

VIEWS

BASIC CONTENT DISPLAY METHODS

BLOCKS WITHIN REGIONS

NODE DISPLAYS

VIEWS PAGES (AND BLOCKS)

page

#region

#block

#block

#region

#block

#block

#region

#block

#region

#block

#block

#block

WHERE DO BLOCKS COME FROM?

CORE

MAKE YOUR OWN

VIEWS

OTHER MODULES

/admin/structure/block

This page provides a drag-and-drop interface for assigning a block to a region, and for controlling the order of blocks within regions in the same way, blocks are positioned on a per-theme basis. Remember that your changes will not be saved until you *configure* link next to each block to configure its specific title and visibility settings.

[Demonstrate block regions \(MM Theme\)](#)

[+ Add block](#)

BLOCK	REGION
Content	
+ Main page content	Content <input type="button" value="v"/>
Site Name	
<i>No blocks in this region</i>	
Connect	

Use this page to create a new custom block.


Block title

The title of the block as shown to the user.

Block description *

A brief description of your block. Used on the [Blocks administration page](#).

Block body *



A rich text editor interface with a toolbar at the top containing icons for bold, italic, underline, list, link, unlink, anchor, paragraph, styles, undo, redo, source code, link, unlink, insert, table, table border, table remove, table merge, table split, table expand, table collapse, table refresh, table delete, and table insert. Below the toolbar is a large empty text area for editing the block body. At the bottom left of the editor, it says "Path: p".

Disable rich-text

Text format Filtered HTML

[More information about text formats](#)

- Allowed HTML tags: `<p>` `<a>` `` `` `<cite>` `<blockquote>` `<code>` `` `` `` `<dl>` `<dt>` `<dd>` `<h2>` `<h3>` `<h4>` `<h5>` `<h6>` `<div id="accordion">` `<div>` `` `<!-->` `
` `
` `<table>` `<th>` `<tr>` `<td>`
- Lines and paragraphs break automatically.
- Empty paragraph killer – multiple returns will not break the site's style.
- Non-latin text (e.g., å, ö, 漢) will be converted to US-ASCII equivalents (a, o, ?).

The content of the block as shown to the user.

REGION SETTINGS

Specify in which themes and regions this block is displayed.

MM Theme (default theme)

- None -

Seven (administration theme)

- None -

Bartik

- None -

Visibility settings

Pages

Not restricted

Content types

Not restricted

Roles

Not restricted

Users

Not customizable

Show block on specific pages

- All pages except those listed
- Only the listed pages

Specify pages by using their paths. Enter one path per line. The "*" character is a wildcard. Example paths are *blog* for the blog page and *blog/** for every personal blog. *<front>* is the front page.

Save block

Postscript Third

No blocks in this region

Postscript Fourth

No blocks in this region

Footer First

No blocks in this region

Footer Second

+ Powered by Drupal

Footer Second

[configure](#)

Disabled

+ Action links

- None -

[configure](#)

+ Branding

- None -

[configure](#)

+ Breadcrumb

- None -

[configure](#)

+ Connections

- None -

[configure](#)

+ Connections Icons Menu

- None -

[configure](#)

[delete](#)

+ Context editor

- None -

[configure](#)

+ Features

- None -

[configure](#)

+ Feed icons

- None -

[configure](#)

ADVANCED DISPLAY MODULES*

CONTEXT

PANELS

DISPLAY SUITE

*to explore once you understand the basics

NODE DISPLAYS

Home » Administration » Structure » Content types » Project

Project ⌵


EDIT MANAGE FIELDS **MANAGE DISPLAY** COMMENT FIELDS COMMENT DISPLAY

→ **Default** Teaser

Content items can be displayed using different view modes: Teaser, Full content, Print, RSS, etc. *Teaser* is a short format that is typically used in lists of multiple content items. *Full content* is typically used when the content is displayed on its own page.

Here, you can define which fields are shown and hidden when *Project* content is displayed in each view mode, and define how the fields are displayed in each view mode.


[Show row weights](#)

FIELD	LABEL	FORMAT
+ Body	<Hidden> ⌵	Default ⌵
+ Images	Above ⌵	Image ⌵ Original image 
Hidden		
+ Project Type	Above ⌵	<Hidden> ⌵

▶ **CUSTOM DISPLAY SETTINGS**

Save

CUSTOM TEMPLATE FILES



CUSTOM TEMPLATE FILES

```
<article<?php print $attributes; ?>>

    <?php print render($content['field_book_cover']); ?>

    <header>
        <h1<?php print $title_attributes; ?><?php print $title ?></h1>
    </header>

    <?php print render($content['field_author']); ?>
    <?php print render($content['body']); ?>

    <div id="tagged-area">
        <?php print render($content['field_category']); ?>
        <?php print render($content['field_textbook_for']); ?>
    </div> <!--/tagged-area -->

    <div id="vendor-area">
        <span class="area-label">Get This Book</span>
        <div id="vendor-links">
            <?php print render($content['field_itunes_store']); ?>
            <?php print render($content['field_google_play']); ?>
            <?php print render($content['field_print_on_demand']); ?>
            <?php print render($content['field_download_pdf']); ?>
        </div> <!--/vendor-links -->
    </div> <!--/vendor-area -->

    <div id="preview-area">
        <span class="area-label">Screenshots</span>
        <div id="book-preview">
            <?php print render($content['field_preview']); ?>
        </div> <!--/book-preview -->
    </div> <!--/preview-area -->

</article>
```

VIEWS!

ADMIN INTERFACE
CONTENT CREATION
CONTENT DISPLAY
NAVIGATION
PEOPLE
THEME*

NAVIGATION

TIPS

USE CUSTOM MENUS

**DISABLE THE CORE
MENU BLOCKS AND
USE MENU BLOCK
MODULE**

MODULES

MENU BLOCK

Connections

LIST LINKS

EDIT MENU

[+ Add link](#)

[Show row weights](#)

MENU LINK	ENABLED	OPERATIONS	
+ Drupal	<input checked="" type="checkbox"/>	edit	delete
+ Linked In	<input checked="" type="checkbox"/>	edit	delete
+ Twitter	<input checked="" type="checkbox"/>	edit	delete

Save configuration

MENU BLOCK

**WORKS WITH CORE MENU SYSTEM
BUT PROVIDES AN ALTERNATIVE
WAY TO DISPLAY**

MAKES MENUS PORTABLE

IS AWESOME

This page provides a drag-and-drop interface for assigning a block to a region, and for configuring its settings. Since not all themes implement the same regions, or display regions in the same way, blocks may not be available in all regions. Remember that your changes will not be saved until you click the *Save blocks* button at the bottom of the page. Next to each block is a plus sign icon to configure its specific title and visibility settings.

Demonstrate block regions (MM Theme)

[+ Add block](#) [+ Add menu block](#)

BLOCK	REGION
Content	
 Main page content	Content 
Site Name	
<i>No blocks in this region</i>	

ADMIN INTERFACE
CONTENT CREATION
CONTENT DISPLAY
NAVIGATION
PEOPLE
THEME*

PEOPLE

TIPS

DEVELOP ROLE
DEFINITIONS BEFORE
YOU BUILD SITE

DECIDE EARLY,
CONFIGURE LATER

MODULES

REAL NAME

/admin/config/people/accounts

REGISTRATION AND CANCELLATION

Who can register accounts?

- Administrators only
- Visitors
- Visitors, but administrator approval is required

Require e-mail verification when a visitor creates an account.

New users will be required to validate their e-mail address prior to logging into the site, and will be assigned a system-generated password. With this setting disabled, users will be logged in immediately upon registering, and may select their own passwords during registration.

When cancelling a user account

- Disable the account and keep its content.
- Disable the account and unpublish its content.
- Delete the account and make its content belong to the *Anonymous* user.
- Delete the account and its content.

Users with the *Select method for cancelling account* or *Administer users* [permissions](#) can override this default method.

People

LIST

PERMISSIONS

Permissions

Roles

Roles allow you to fine tune the security and administration of Drupal. A role defines a group of users that have certain privileges as defined on the [permissions page](#). Examples of roles include: anonymous user, authenticated user, moderator, administrator and so on. In this area you will define the names and order of the roles on your site. It is recommended to order your roles from least permissive (anonymous user) to most permissive (administrator). To delete a role choose "edit role".

By default, Drupal comes with two user roles:

- Anonymous user: this role is used for users that don't have a user account or that are not authenticated.
- Authenticated user: this role is automatically granted to all logged in users.

[Show row weights](#)

NAME	OPERATIONS
 anonymous user <i>(locked)</i>	edit permissions
 authenticated user <i>(locked)</i>	edit permissions
 Content Manager	edit role edit permissions
 administrator	edit role edit permissions
<input type="text"/>	Add role

[Save order](#)

PERMISSION	ANONYMOUS USER	AUTHENTICATED USER	CONTENT MANAGER	ADMINISTRATOR
Access the LESS settings page and view debug messages.				
Media				
Import media files from the local filesystem Simple file importer	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Menu				
Administer menus and menu items	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Module filter				
Administer Module Filter Configure how Module Filter performs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Node				
Bypass content access control View, edit and delete all content regardless of permission restrictions. <i>Warning: Give to trusted roles only; this permission has security implications.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Administer content types <i>Warning: Give to trusted roles only; this permission has security implications.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Administer content <i>Warning: Give to trusted roles only; this permission has security implications.</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Access the content overview page	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
View published content	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

ADMIN INTERFACE
CONTENT CREATION
CONTENT DISPLAY
NAVIGATION
PEOPLE
THEME*

THEME

TIPS

**MASTER A BASE
THEME**

**LEARN A CSS
PREPROCESSOR**

MODULES

BLOCK CLASS

BROWSER CLASS

FIT VIDS

ADAPTIVE IMAGE

WHAT'S NEXT?

**EXPAND &
PERSONALIZE
EACH OF THE SIX*
CATEGORIES**

(*or more)

LEARN FEATURES!

(you'll thank me for this one as well)

CREATE YOUR OWN INSTALL PROFILE

QUESTIONS?